Amendments to the Claims

The listing of claims will replace all prior versions, and listings of claims in the application.

- (Currently Amended) A multiple inducible gene regulation system consisting of two orthogonal comprising a plurality-of-individually-operable gene regulation systems, wherein:
- a) each individually operable of said orthogonal gene regulation systems comprises:
- i) one or more polynucleotides a polynucleotide encoding a receptor complex comprising:
 - A) a DNA binding domain:
- B) a Group H nuclear receptor ligand binding domain and a nuclear receptor ligand binding domain capable of forming a dimer with the Group H nuclear receptor ligand binding domain; and
 - C) a transactivation domain; and
 - ii) a polynucleotide comprising [[:]]
 - A) an exogenous or endogenous polynucleotide [[;]] and
- B) a response element;

wherein:

— A) the exogenous or endogenous polynucleotide is a DNA sequence encoding a polypeptide operatively linked to a the response element, ;-and

B) wherein binding of the DNA binding domain to the response element in the presence or absence of a ligand results in expression of the polypeptide activation or suppression of the exogenous or endogenous polynucleotide; and
b) each individually operable gene regulation system is orthogonal to the other individually operable gene modulation system present in the multiple inducible gene modulation system.

- (Currently Amended) The multiple inducible gene regulation system of claim 1, wherein each operable gene regulation system comprises
- a) i) a first gene expression cassette comprising a polynucleotide that encodes a polypeptide comprising a transactivation domain, a DNA-binding domain that recognizes a response element associated with a gene whose expression is to be modulated; and a Group H nuclear receptor ligand binding domain, and
- ii) a second gene expression cassette comprising: A) a response element recognized by the DNA-binding domain of the encoded polypeptide of the first gene expression-cassette; B) a promoter that is activated by the transactivation domain of the encoded polypeptide of the first gene expression-cassette; and C) a gene whose expression is to be modulated;
- b) i) a first gene expression cassette comprising a polynucleotide that encodes a polypeptide comprising a transactivation domain, a DNA-binding domain that recognizes a response element associated with a gene whose expression is to be modulated; and a Group H nuclear receptor ligand binding domain,

- ii) a nuclear receptor ligand binding domain selected from the group consisting of a vertebrate retinoid X receptor ligand binding domain, an invertebrate retinoid X receptor ligand binding domain, an ultraspiracle protein ligand binding domain, and a chimeric ligand binding domain comprising two polypeptide fragments, wherein the first polypeptide fragment is from a vertebrate retinoid X receptor ligand binding domain, an invertebrate retinoid X receptor ligand binding domain, or an ultraspiracle protein ligand binding domain, and the second polypeptide fragment is from a different vertebrate retinoid X receptor ligand binding domain, invertebrate retinoid X receptor ligand binding domain, invertebrate retinoid X receptor ligand binding domain, and
 - iii) a second gene expression cassette comprising:
- A) a response element recognized by the DNA-binding domain of the encoded polypeptide of the first gene expression eassette;
- B) a promoter that is activated by the transactivation domain of the encoded polypeptide of the first gene expression eassette; and
 - C) a gene whose expression is to be modulated; or
- a first gene expression cassette comprising a polynucleotide that encodes a first polypeptide comprising a DNA-binding domain that recognizes a response element associated with a gene whose expression is to be modulated and a Group H nuclear receptor ligand binding domain,
- ii) a second gene expression cassette comprising a polynucleotide that encodes a second polypeptide comprising a transactivation domain and a Group H nuclear receptor ligand binding domain, and
 - iii) a third gene expression cassette comprising:

 A) a response element recognized by the DNA-binding domain of the first polypeptide of the first gene expression eassette;

B) a promoter that is activated by the transactivation domain of the second polypeptide of the second gene expression eassette; and

C) a gene whose expression is to be modulated.

- 3. (Original) A virus comprising the multiple gene regulation system of claim 1.
- (Previously Presented) An isolated cell comprising the multiple gene regulation system of claim 1.
- (Canceled)
- (Canceled)
- (Currently Amended) The multiple inducible gene regulation system of claim 1, wherein <u>said</u> one or more of the polynucleotides encoding a receptor complex <u>is</u> encodes a non-mammalian receptor complex.
- (Previously Presented) The multiple inducible gene regulation system of claim 1, wherein the receptor complex is an ecdysone receptor complex.

- (Currently Amended) A multiple inducible gene regulation system consisting of two orthogonal which comprises a plurality of individually operable gene regulation systems wherein:
- a) each of said individually operable gene regulation systems comprises:
- i) one or more receptor complex, each a receptor complex comprising:
 - A) a DNA binding domain;
- B) a Group H nuclear receptor ligand binding domain and a nuclear receptor ligand binding domain capable of forming a dimer with the Group H nuclear receptor ligand binding domain; and
 - C) a transactivation domain; and
- ii) a polynucleotide comprising:
 - A) an exogenous or endogenous gene [[;]] and
 - a response element;

wherein:

- the exogenous or endogenous gene is under the control of the response element;
 and
- B) binding of the DNA binding domain to the response element in the presence of the absence of a ligand results in activation or suppression of the gene ; and
- each individually operable gene regulation system is orthogonal to the other individually operable gene regulation systems present in the multiple inducible gene regulation system.

- 10. (Currently Amended) The multiple inducible gene regulation system of claim 9, wherein each operable gene regulation system comprises:
- a) a polypeptide comprising a transactivation domain, a DNA-binding domain that recognizes a response element associated with a gene whose expression is to be modulated; and a Group H nuclear receptor ligand binding domain, and
- ii) a gene expression cassette comprising: A) a response element recognized by the DNA-binding domain of the polypeptide of a)i); B) a promoter that is activated by the transactivation domain of the polypeptide of a)i); and C) a gene whose expression is to be modulated:
- b) i) a polypeptide comprising a transactivation domain, a DNA-binding domain that recognizes a response element associated with a gene whose expression is to be modulated; and a Group H nuclear receptor ligand binding domain,
- ii) a nuclear receptor ligand binding domain selected from the group consisting of a vertebrate retinoid X receptor ligand binding domain, an invertebrate retinoid X receptor ligand binding domain, an ultraspiracle protein ligand binding domain, and a chimeric ligand binding domain comprising two polypeptide fragments, wherein the first polypeptide fragment is from a vertebrate retinoid X receptor ligand binding domain, an invertebrate retinoid X receptor ligand binding domain, or an ultraspiracle protein ligand binding domain, and the second polypeptide fragment is from a different vertebrate retinoid X receptor ligand binding domain, invertebrate retinoid X receptor ligand binding domain, or ultraspiracle protein ligand binding domain, and
- a gene expression cassette comprising: A) a response element recognized by the DNA-binding domain of the polypeptide of b)i); B) a promoter that is activated by

the transactivation domain of the polypeptide of b)i); and C) a gene whose expression is to be modulated; or

- c) i) a first polypeptide comprising a DNA-binding domain that recognizes a
 response element associated with a gene whose expression is to be modulated and a
 Group H nuclear receptor ligand binding domain,
- a second polypeptide comprising a transactivation domain and a nuclear steroid receptor ligand binding domain, and
- iii) a gene expression cassette comprising: A) a response element recognized by the DNA-binding domain of the first polypeptide of c)ii); B) a promoter that is activated by the transactivation domain of the second polypeptide of c)ii); and C) a gene whose expression is to be modulated.
- 11. (Canceled)
- (Previously Presented) An isolated cell comprising the multiple gene regulation system of claim 9.
- 13. (Canceled)
- 14. (Canceled)
- (Previously Presented) The multiple inducible gene regulation system of claim 9, wherein the Group H receptor complex is an ecdysone receptor complex.

16. - 20. (Canceled)

- 21. (Withdrawn) A multiple inducible gene regulation system, the system comprising:
- a) a first, second, and third hybrid peptide, wherein:
 - the first hybrid peptide comprises a first DNA binding domain and a first ligand binding domain;
 - the second hybrid peptide comprises a second DNA binding domain and a second ligand binding domain;
 - the third hybrid peptide comprises a transactivation domain and a third ligand binding domain;
- b) at least a first and second ligand; and
- c) a first and second polynucleotide of interest operably linked, respectively, to a first and second promoter construct;

wherein:

- the first and third hybrid peptides dimerize to form a first dimer in the presence of the first ligand,
- II. the second and third hybrid peptides dimerize to form a second dimer in the presence of the second ligand; and
- III. the first and second dimer bind to the first and second promoter construct, respectively, resulting in transcription of the first and second polynucleotides of interest within the same cell.

- (Withdrawn) The system of claim 21, wherein the transcription of said first and second polynucleotides of interest is orthogonal to each other.
- 23. (Withdrawn) The system of claim 22 wherein the transcription of said first and second polynucleotides of interest is fully orthogonal to each other.
- 24. (Withdrawn) The system of claim 21, wherein at least one of the first and second polynucleotides of interest is exogenous to the cell.
- (Withdrawn) The system of claim 24, wherein the first and second polynucleotides of interest are exogenous to the cell.
- 26. (Withdrawn) The system of claim 21, wherein the first and second DNA binding domains are different from one another and each comprises one of a Ga14 DNA binding domain, a LexA DNA binding domain, a transcription factor DNA binding domain, a Group H nuclear receptor DNA binding domain, a steroid/thyroid hormone nuclear receptor superfamily DNA binding domain, and a bacterial LacZ DNA binding domain.
- 27. (Withdrawn) The system of claim 26, wherein the first and second DNA binding domains comprise one of a Gal4 DNA binding domain and a LexA DNA binding domain, wherein if the first DNA binding domain is a Gal4 DNA binding domain, the second DNA binding domain is a LexA DNA binding domain, and wherein if the first

DNA binding domain is a LexA DNA binding domain, the second DNA binding domain is a Gal4 DNA binding domain.

- 28. (Withdrawn) The system of claim 21, wherein the transactivation domain comprises a Group H nuclear receptor transactivation domain, a viral protein transactivation domain, a steroid/thyroid hormone nuclear receptor transactivation domain, a synthetic transactivation domain, a chimeric transactivation domain, a polyglutamine transactivation domain, a basic or acidic transactivation domain, a VP 16 transactivation domain, a GAL4 transactivation domain, an NF-kB transactivation domain, a BP64 transactivation domain, a B42 transactivation domain, or a p65 transactivation domain.
- 29 (Withdrawn) The system of claim 28, wherein the transactivation domain is a VP16 transactivation domain.
- 30. (Withdrawn) The system of claim 21, wherein the first and second ligand binding domains comprise a Group H nuclear receptor ligand binding domain, and the third ligand binding domain is a vertebrate retinoid X receptor ligand binding domain, an invertebrate retinoid X receptor ligand binding domain, an ultraspiracle protein ligand binding domain, or a chimeric ligand binding domain comprising two polypeptide fragments, wherein the first polypeptide fragment is from a vertebrate retinoid X receptor ligand binding domain, an invertebrate retinoid X receptor ligand binding domain, or an ultraspiracle protein ligand binding domain, and the second polypeptide fragment is from

a different vertebrate retinoid X receptor ligand binding domain, invertebrate retinoid X receptor ligand binding domain, or ultraspiracle protein ligand binding domain.

- 31. (Withdrawn) The system of claim 30, wherein the first and second ligand binding domains comprise ecdysone receptor ligand binding domains from different invertebrate species.
- (Withdrawn) The system of claim 30, wherein the third ligand binding domain comprises a vertebrate retinoid X receptor ligand binding domain.
- 33. (Withdrawn) The system of claim 30, wherein the third ligand binding domain is a chimeric ligand binding domain comprising a polypeptide from a vertebrate retinoid X receptor ligand binding domain and a polypeptide from an ultraspiracle ligand binding domain
- 34. (Withdrawn) The system of claim 30, wherein at least one of the first and second ligand binding domains is a Dipteran ecdysone receptor ligand binding domain.
- 35. (Withdrawn) The system of claim 30, wherein at least one of the first and second ligand binding domains is a Lepidopteran ecdysone receptor ligand binding domain.
- (Withdrawn) The system of claim 30, wherein the first and second ligand binding domains comprise one of a Dipteran ecdysone receptor ligand binding domain and a

Lepidopteran ecdysone receptor ligand binding domain, wherein if the first ligand binding domain is a Dipteran ecdysone receptor ligand binding domain, the second ligand binding domain is a Lepidopteran ecdysone receptor ligand binding domain, and wherein if the first ligand binding domain is a Lepidopteran ecdysone receptor ligand binding domain, the second ecdysone receptor ligand binding domain is a Dipteran ecdysone receptor ligand binding domain is a Dipteran ecdysone receptor ligand binding domain.

- 37. (Withdrawn) The system of claim 36, wherein the first and second ligand binding domains are encoded, respectively, by the nucleotide sequence shown in SEQ ID NO: 1 and the nucleotide sequence shown in SEQ ID NO:4, or the nucleotide sequence shown in SEQ ID NO:4 and the nucleotide sequence shown in SEQ ID NO:1.
- 38. (Withdrawn) The system of claim 21, wherein the first and second ligand binding domains are encoded, respectively, by the nucleotide sequence shown in SEQ ID NO:1 and the nucleotide sequence shown in SEQ ID NO:4, or the nucleotide sequence shown in SEQ ID NO:4, and the third ligand binding domain is encoded by the nucleotide sequence shown in SEQ ID NO:6.
- 39. (Withdrawn) The system of claim 30, wherein at least one of the first and second ligand binding domains is a Homopteran ecdysone receptor ligand binding domain.
- 40. (Withdrawn) The system of claim 30, wherein the first and second ligand binding domains comprise one of a Lepidopteran ecdysone receptor ligand binding domain and a

Homopteran ecdysone receptor ligand binding domain, wherein if the first ligand binding domain is a Lepidopteran ecdysone receptor ligand binding domain, the second ligand binding domain is a Homopteran ecdysone receptor ligand binding domain, and if the first ligand binding domain is a Homopteran ecdysone receptor ligand binding domain, the second ligand binding domain is a Lepidopteran ecdysone receptor ligand binding domain.

- 41. (Withdrawn) The system of claim 40, wherein the first and second ligand binding domains are encoded, respectively, by the nucleotide sequence shown in SEQ ID NO: 14 and by the nucleotide sequence shown in SEQ ID NO: 15, or by the nucleotide sequence shown in SEQ ID NO: 15 and by the nucleotide sequence shown in SEQ ID NO: 15 and by the nucleotide sequence shown in SEQ ID NO: 16.
- 42. (Withdrawn) The system of claim 21, wherein the first and second ligand binding domains are encoded, respectively, by the nucleotide sequence shown in SEQ ID NO: 14 and by the nucleotide sequence shown in SEQ ID NO: 15, or by the nucleotide sequence shown in SEQ ID NO: 15 and by the nucleotide sequence shown in SEQ ID NO: 14, and wherein the third ligand binding domain is encoded by the nucleotide sequence shown in SEQ ID NO: 16.
- 43. (Withdrawn) The system of claim 21, wherein the first and second ligand binding domains are each encoded by one of the nucleotide sequences shown in SEQ ID NO: 1, SEQ ID NO:4, SEQ ID NO: 14, or SEQ ID NO:15, and the third ligand binding domain is encoded by one of the nucleotide sequence shown in SEQ ID NO:6 or SEQ ID NO:16.

- 44. (Withdrawn) A virus comprising the system of claim 21.
- 45. (Withdrawn) A cell comprising the system of claim 21.
- 46. (Withdrawn) A dual inducible gene regulation system, the system comprising:
- a first, second, and third hybrid peptide, wherein:
 - the first hybrid peptide comprises a first DNA binding domain and a first ligand binding domain;
 - the second hybrid peptide comprises a second DNA binding domain and a second ligand binding domain;
 - the third hybrid peptide comprises a transactivation domain and a third ligand binding domain;
- b) a first and second ligand; and
- a first and second polynucleotide of interest operably linked to a first and second promoter construct;

wherein:

- the first and third hybrid peptides dimerize to form a first dimer in the presence of the first ligand;
- II. the second and third hybrid peptides dimerize to form a second dimer in the presence of the second ligand; and
- III. the first and second dimer bind to the first and second promoter construct, respectively, resulting in transcription of the first and second polynucleotides of interest within the same cell.

- 47. (Canceled)
- 48. (Canceled)
- 49. (Canceled)